

Please enter.

/Niloofar

Rahmani/

01/26/2010 8845-97585 PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Appl. No.	: 10/581,833	)	Confirmation No.: 8544
Applicant	: BUFFAT et al.	)	
Filed	: 13 April 2007	)	
Art Unit	: 1625	)	
Examiner	: RAHMANI	)	
Docket No.	: 8845-97585	)	
Customer No.:	24628	)	
Title:	MUSCARINIC AGENTS AS THERAPEUTIC COMPOUNDS	)	

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

**RULE 312 AMENDMENT**

Dear Sir:

The Examiner's Amendment of 28 December 2009 has been carefully reviewed and the following amendments and remarks are made in response thereto:

**Amendments to the Claims** begin on page **2** of this paper.


**Remarks/Arguments** begin on page **14** of this paper.

### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

1. (currently amended) A compound of the formula:



or a pharmaceutically acceptable salt thereof, wherein:

A is CH or nitrogen;

B is  $-\text{CH}_2-$ ,  $-\text{CHF}-$ ,  $-\text{CF}_2-$ ,  $\text{NR}_4$  or O, with the proviso that when A is N, B is  $-\text{CH}_2-$ ,  $-\text{CHF}-$  or  $-\text{CF}_2-$ ;

G is oxygen,


R1 is hydrogen or  $\text{C}_{1-6}$  alkyl;

R2 is  $\text{C}_{1-8}$  alkyl,  $-\text{CH}_2$ -aryl,  $\text{CH}_2$ -heterocycle,  $-\text{CH}_2$ -substituted  $\text{C}_5$  cycloalkyl, or a  $-\text{CH}_2$ -substituted hetero cycle, each of which may be optionally substituted with one or more of halo, hydroxyl,

$\text{C}_{1-6}$  alkyl,  $\text{C}_{1-6}$  haloalkyl,  $\text{C}_{1-8}$  alkoxy,  $\text{C}_{1-6}$  haloalkoxy,  $\text{C}_{2-6}$  alkenyl,  $\text{C}_{2-6}$  haloalkenyl,  $\text{C}_{2-6}$  alkynyl or  $\text{C}_{2-6}$  haloalkynyl;

R3 is hydrogen; cyclobutyl, cyclopropyl, methyl, ethyl, isopropyl, butyl, sec-butyl;

R5 is a 5-membered unsaturated heterocyclic ring having one of the following structures:



R<sub>6</sub> is methyl, aralkyl, arylamino, aralkyl substituted by one or more halo and having a methylene group linking the aryl to the unsaturated 5-membered ring, aralkyl substituted by one or more halo and having an ethylene group linking the aryl to the unsaturated 5-membered ring; or

R<sub>5</sub> may also be C<sub>2</sub>-C<sub>4</sub>-aralkyl, -CH<sub>2</sub>-O-R<sub>7</sub> where R<sub>7</sub> is C<sub>1-6</sub> alkyl, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> alkynyl, C<sub>2</sub>-C<sub>4</sub> aralkyl which groups may be optionally substituted with fluoro or hydroxy; and

R<sub>8</sub> is hydrogen phenyl or halo-substituted phenyl;

with the proviso that when either R<sub>3</sub> or R<sub>8</sub> is not hydrogen, the other is hydrogen.

2. (cancel)


3. (previously presented) A compound according to claim 1, wherein

R<sub>1</sub> is H;

R<sub>2</sub> is -CH<sub>2</sub>-aryl optionally substituted with one or more of halo, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-6</sub> alkoxy, C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl;

R<sub>3</sub> is hydrogen or cyclobutyl;

R<sub>5</sub> is one of the following 5-membered unsaturated heterocyclic ring structures:



R<sub>6</sub> is phenyl, phenylamino substituted by one or more halo, phenylmethyl substituted by one or more halo, or phenethyl substituted by one or more halo; and


R<sub>8</sub> is hydrogen or a fluoro-substituted phenyl.

4. (previously presented) A compound according to claim 3, wherein

$R_2$  is  $-CH_2-C_6H_5$  or  $-CH_2$ -heterocyclic aryl each of which may be optionally substituted with one or more of halo, hydroxy,  $C_{1-6}$  alkyl,  $C_{1-6}$  haloalkyl,  $C_{1-8}$  alkoxy,  $C_{1-6}$  haloalkoxy,  $C_{2-6}$  alkenyl,  $C_{2-6}$  haloalkenyl,  $C_{2-6}$  alkynyl or  $C_{2-6}$  haloalkynyl;

$R_3$  is H;

$R_5$  is one of the following 5-membered unsaturated heterocyclic ring structures:



$R_6$  is a meta chloro-substituted phenylamino, a meta chloro-substituted phenylmethy or a meta chloro-substituted phenethyl; and

$R_8$  is 3,5-difluorophenyl.

5. (previously presented) A compound according to claim 1, wherein

A is CH;

B is  $-\text{CH}_2-$ ;


G is oxygen;

R<sub>1</sub> is hydrogen;

R<sub>2</sub> is C<sub>1-8</sub> alkyl or  $-\text{CH}_2$ -aryl (optionally substituted by one or more of halo, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-8</sub> alkoxy, C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl);

R<sub>3</sub> is cyclobutyl or H, and

R<sub>5</sub> is one of the following 5-membered unsaturated heterocyclic ring structures:



6. (previously presented) A compound according to claim 1, in which A is CH;

B is O;


G is oxygen;

R<sub>1</sub> is hydrogen;

R<sub>2</sub> is C<sub>1-8</sub> alkyl, -CH<sub>2</sub>-aryl (optionally substituted by one or more of halo, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-6</sub> alkoxy, C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl);

R<sub>3</sub> is cyclobutyl or H; and

R<sub>5</sub> is -CH<sub>2</sub>-O-CH<sub>3</sub>, -CH<sub>2</sub>-O-CH<sub>2</sub>-CH<sub>2</sub>-C<sub>6</sub>H<sub>5</sub> or one of the following 5-membered unsaturated heterocyclic ring structures:



7. (previously presented) A compound according to claim 1, wherein .

A is CH;

B is NH;


G is oxygen;

R<sub>1</sub> is hydrogen;

R<sub>2</sub> is C<sub>1-8</sub> alkyl, -CH<sub>2</sub>-aryl, a -CH<sub>2</sub>-heterocyclic group or a -CH<sub>2</sub>-substituted C<sub>5</sub> cycloalkyl (optionally substituted by one or more of halo, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-8</sub> alkoxy, C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl);

R<sub>3</sub> is cyclobutyl or H; and

R<sub>5</sub> is -CH<sub>2</sub>-O-CH<sub>3</sub>, -CH<sub>2</sub>-O-CH<sub>2</sub>-CH<sub>2</sub>-C<sub>6</sub>H<sub>5</sub> or one of the following 5-membered unsaturated heterocyclic ring structures:





8. (previously presented) A compound according to claim 1, wherein

A is N;

B is  $-\text{CH}_2-$ ;


G is oxygen;

R<sub>1</sub> is hydrogen;

R<sub>2</sub> is C<sub>1-8</sub> alkyl,  $-\text{CH}_2$ -aryl, a  $-\text{CH}_2$ -heterocyclic group or a  $-\text{CH}_2$ -substituted C<sub>5</sub> cycloalkyl (optionally substituted one or more of halo, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-8</sub> alkoxy, C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl);

R<sub>3</sub> is cyclobutyl or H;

R<sub>5</sub> is one of the following 5-membered unsaturated heterocyclic ring structures:



and

R<sub>8</sub> is H or phenyl (optionally substituted with halo).

9. (previously presented) A compound according to claim 1, wherein

A is N;

B is  $-\text{CH}_2-$ ;

G is oxygen;

R<sub>1</sub> is hydrogen;

R<sub>2</sub> is C<sub>1-8</sub> alkyl  $-\text{CH}_2$ -aryl, a  $-\text{CH}_2$ -heterocyclic group or a  $-\text{CH}_2$ -substituted C<sub>5</sub> cycloalkyl (optionally substituted by one or more of halo, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-8</sub> alkoxy, C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl);

R<sub>3</sub> is cyclobutyl or H; and

R<sub>5</sub> is  $-\text{CH}_2-\text{O}-\text{CH}_3$ .

10. (previously presented) A compound according to claim 1, wherein


A is N;

B is  $-\text{CH}_2-$ ;

R<sub>1</sub> is hydrogen;

R<sub>3</sub> is hydrogen or cyclobutyl;

R<sub>5</sub> is one of the following 5-membered unsaturated heterocyclic ring structures:




and R<sub>8</sub> is phenyl, 3,5-difluorophenyl or H.

Application No. 10/581,833

Amdt. dated 22 January 2010


Reply to the Examiner's Amendment of 28 December 2009

11. (original) A compound according to claim 1, having the formula:



12. (previously presented) A pharmaceutical composition comprising a therapeutically effective amount of the compound of claim 1 .
13. (cancel)
14. (currently amended) A method ~~for the manufacture of manufacturing~~ of a pharmaceutical for the modification of an acetylcholine or a muscarinic receptor comprising the step of placing the compound of claim 1 into a pharmaceutical composition in a unit dosage form.
15. (currently amended) The method of claim 14, wherein the pharmaceutical is for the treatment of ~~is for~~ Alzheimer's disease.
16. (currently amended) A method of modifying a muscarinic acetylcholine receptor or an acetylcholine receptor comprising the administration of a therapeutically effective amount of a compound as claimed in claim 1 to a subject in need thereof.

17. (currently amended) A compound of the formula:



or a pharmaceutically acceptable salt thereof, wherein:

A is CH or nitrogen;

B is  $-\text{CH}_2-$ ,  $-\text{CHF}-$ ,  $-\text{CF}_2-$ ,  $\text{NR}_4$  or O, with the proviso that when A is N, B is  $-\text{CH}_2-$ ,  $-\text{CHF}-$  or  $-\text{CF}_2-$ ;

G is oxygen or  $=\text{N-CN}$ ,

R<sub>1</sub> is hydrogen or C<sub>1-6</sub> alkyl;

R<sub>2</sub> is hydrogen; C<sub>1-10</sub> alkyl optionally substituted

with C<sub>1-6</sub> alkoxy or halogen; aralkyl, a  $-\text{CH}_2$ -heterocycle or a  $-\text{CH}_2$ -C<sub>5</sub> cycloalkyl ring each of which may be optionally substituted with one or more of halo, hydroxyl, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-8</sub> alkoxy, C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl;

R<sub>3</sub> is a cyclic alkyl radical containing from 3-6 carbon atoms or a C<sub>1</sub>-C<sub>6</sub> alkyl;

R<sub>4</sub> is hydrogen or lower alkyl;

R<sub>5</sub> is a 5-membered unsaturated heterocyclic ring optionally substituted by a group selected from

~~R<sub>6</sub> is~~ lower alkyl; hydrogen; arylamino optionally substituted with one or more of halo, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-6</sub> alkoxy, C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl; aralkyl optionally substituted with one or more of halo, hydroxy, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, C<sub>1-6</sub> alkoxy,

C<sub>1-6</sub> haloalkoxy, C<sub>2-6</sub> alkenyl, C<sub>2-6</sub> haloalkenyl, C<sub>2-6</sub> alkynyl or C<sub>2-6</sub> haloalkynyl; or a group of formula:

Application No. 10/581,833

Amdt. dated 22 January 2010

Reply to the Examiner's Amendment of 28 December 2009



wherein n is an integer in the range from 1 to 4 and HET is a heterocyclic group optionally substituted with one or more of halo, hydroxy,  $C_{1-6}$  alkyl,  $C_{1-6}$  haloalkyl,  $C_{1-6}$  alkoxy,  $C_{1-6}$  haloalkoxy,  $C_{2-6}$  alkenyl,  $C_{2-6}$  haloalkenyl,  $C_{2-6}$  alkynyl or  $C_{2-6}$  haloalkynyl;

or  $R_5$  may also be  $C_2$ - $C_4$ -aralkyl,  $-CH_2-O-R_7$  where  $R_7$  is  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkynyl,  $C_2$ - $C_4$  aralkyl which groups may be optionally substituted with fluoro or hydroxy; and

$R_8$  is hydrogen or aryl (optionally substituted with one or more of halo, hydroxyl,  $C_{1-6}$  alkyl,  $C_{1-6}$  haloalkyl,  $C_{1-6}$  alkoxy,  $C_{1-6}$  haloalkoxy,  $C_{2-6}$  alkenyl,  $C_{2-6}$  haloalkenyl,  $C_{2-6}$  alkynyl or  $C_{2-6}$  haloalkynyl);  
with the proviso that when either  $R_3$  or  $R_8$  is not hydrogen, the other is hydrogen.

Application No. 10/581,833  
Amdt. dated 22 January 2010  
Reply to the Examiner's Amendment of 28 December 2009

**REMARKS / ARGUMENTS**

No further fee or petition is believed to be necessary. However, should any further fee be needed, please charge our Deposit Account No. 23-0920, and deem this paper to be the required petition.


With the above amendments and remarks, this application is considered ready for allowance and applicant earnestly solicits an early notice of same. Should the Examiner be of the opinion that a telephone conference would expedite prosecution of the subject application, he/she is respectfully requested to call the undersigned at the below listed number.

Application No. 10/581,833

Amdt. dated 22 January 2010

Reply to the Examiner's Amendment of 28 December 2009

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Gerald T. Shekleton". The signature is fluid and cursive, with the first name "Gerald" being more prominent and the last name "Shekleton" following in a similar style.

Dated: 22 January 2010

Gerald T Shekleton

Reg. No. 27,466

Husch Blackwell Sanders Welsh & Katz

120 South Riverside Plaza, 22<sup>nd</sup> Floor

Chicago, Illinois 60606

Phone: (312) 655-1511

Fax: (312) 655-1501